

IN THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in this application:

1. – 22. (Canceled)
23. (Currently Amended) A stove comprising:
 - a stove body defining a combustion chamber, the combustion chamber including a top wall;
 - a chimney in air flow communication with the combustion chamber;
 - a ~~moveable~~ moveable baffle plate and a fixed baffle plate disposed within the combustion chamber, the ~~moveable~~ moveable baffle plate spaced apart from at least a portion of the stove body to form a passage from the combustion chamber to the chimney; and
 - an air manifold coupled to the moveable baffle plate, the air manifold creating a secondary combustion area below the moveable baffle plate;
 - wherein the ~~moveable~~ moveable baffle plate and air manifold are moveable from a substantially horizontal closed configuration to an open configuration;
 - wherein, when in the closed configuration, the ~~moveable~~ moveable baffle plate directs gases within the combustion chamber to flow from the combustion chamber, around the ~~moveable~~ moveable baffle plate, through the passage, and out the chimney; and
 - wherein, when the ~~moveable~~ moveable baffle plate is in the open configuration, the ~~moveable~~ moveable baffle plate cooperates with the top wall to define a barrier adjacent the top wall and also forms a by-pass pathway with the fixed baffle plate that is separate from the passage, between the combustion chamber and the chimney, such that gases within the combustion chamber flow from the combustion chamber, through the by-pass pathway, and out the chimney.
24. (Previously Presented) The stove according to claim 23, wherein the stove body further defines an access door.

25. (Currently Amended) The stove according to claim 24, wherein the access door is in [[a]] the top wall of the stove body.
26. (Previously Presented) The stove according to claim 24, wherein the access door is in a front wall of the stove body.
27. (Previously Presented) The stove according to claim 23, wherein the stove body further defines a plurality of access doors.
28. (Previously Presented) The stove according to claim 23, wherein the air manifold is in air flow communication with a second air supply system, the air manifold being constructed and arranged to direct air from outside the stove into the secondary combustion area.
29. (Currently Amended) A stove comprising:
a stove body defining a combustion chamber, the stove body including at least a front wall and a top wall each defining an opening for an access door therein;
a chimney in air flow communication with the combustion chamber;
a moveable baffle plate and a fixed baffle plate disposed within the combustion chamber, the moveable baffle plate being moveable from a substantially horizontal closed configuration to an open configuration;
wherein, when in the closed configuration, the moveable baffle plate directs gases from the combustion chamber, through a first passage defined at least in part by the front wall and the top wall of the stove body, and into the chimney; and
wherein, when the moveable baffle plate is in the open configuration, the moveable baffle plate cooperates with the top wall to define a barrier adjacent the top wall and also forms a by-pass pathway with the fixed baffle plate that directs gases from the combustion chamber, through a second passage, and into the chimney such that the gases do not exit the opening formed in either of the front wall and the top wall; and
an air manifold positioned below the moveable baffle plate, the combination of

the moveable baffle plate and air manifold creating a secondary combustion area below the moveable baffle plate, the air manifold in air flow communication with a second air supply system, the air manifold constructed and arranged to direct air from outside the stove into the secondary combustion area.

30. (Canceled)

31. (Currently Amended) The stove according to claim 29, wherein the air manifold is coupled to the moveable baffle plate.

32. (Canceled)